# Queues, stationarity, and stabilisation of last passage percolation

Joint with Ofer Busani and Timo Seppäläinen

#### Márton Balázs


University of Bristol


Random Growth Models and KPZ Universality Banff, 1 June, 2023.

#### Last passage percolation

Place 
$$\omega_z$$
 i.i.d. Exp(1) for  $z \in \mathbb{Z}^2$ .


The *geodesic*  $\pi_{a,y}$  from *a* to *y* is the a.s. unique heaviest up-right path from *a* to *y*. Its weight is  $G_{a,y}$ .






у

$$I_x = G_{a,x} - G_{a,x-e_1}$$





у




a

$$I_x = G_{a,x} - G_{a,x-e_1} \qquad J_x = G_{a,x} - G_{a,x-e_2}$$









a

$$I_x = G_{a,x} - G_{a,x-e_1} \qquad J_x = G_{a,x} - G_{a,x-e_2}$$

~ Act as boundary weights for a smaller, embedded model.




Replace the boundary by  $I \sim Exp(\varrho)$ ,  $\_ \sim Exp(1 - \varrho)$  independent.




$$I_x = G_{a,x} - G_{a,x-e_1}$$
  $J_x = G_{a,x} - G_{a,x-e_2}$ 

Then  $J_x \sim \text{Exp}(\varrho)$ ,  $I_x \sim \text{Exp}(1 - \varrho)$ , independent.

Replace the boundary by  $I \sim Exp(\varrho)$ ,  $\_ \sim Exp(1 - \varrho)$  independent.




$$I_x = G_{a,x} - G_{a,x-e_1}$$
  $J_x = G_{a,x} - G_{a,x-e_2}$ 




$$I_x = G_{a,x} - G_{a,x-e_1} \qquad J_x = G_{a,x} - G_{a,x-e_2}$$

$$G_{a,x} = (G_{a,x-e_1} \lor G_{a,x-e_2}) + \omega_x$$




$$I_x = G_{a,x} - G_{a,x-e_1} \qquad J_x = G_{a,x} - G_{a,x-e_2}$$

$$G_{a,x} = (G_{a,x-e_1} \lor G_{a,x-e_2}) + \omega_x$$
$$G_{a,x} - G_{a,x-e_1} = (G_{a,x-e_2} - G_{a,x-e_1})^+ + \omega_x$$



$$I_x = G_{a,x} - G_{a,x-e_1} \qquad J_x = G_{a,x} - G_{a,x-e_2}$$

$$G_{a,x} = (G_{a,x-e_1} \lor G_{a,x-e_2}) + \omega_x$$
$$G_{a,x} - G_{a,x-e_1} = (G_{a,x-e_2} - G_{a,x-e_1})^+ + \omega_x$$
$$I_x = (I_{x-e_2} - J_{x-e_1})^+ + \omega_x$$




$$I_x = G_{a,x} - G_{a,x-e_1} \qquad J_x = G_{a,x} - G_{a,x-e_2}$$

$$G_{a,x} = (G_{a,x-e_1} \lor G_{a,x-e_2}) + \omega_x$$
  


$$G_{a,x} - G_{a,x-e_1} = (G_{a,x-e_2} - G_{a,x-e_1})^+ + \omega_x$$
  

$$I_x = (I_{x-e_2} - J_{x-e_1})^+ + \omega_x$$
  


$$J_x = (J_{x-e_1} - I_{x-e_2})^+ + \omega_x.$$



$$I_X = (I_{X-e_2} - J_{X-e_1})^+ + \omega_X \qquad J_X = (J_{X-e_1} - I_{X-e_2})^+ + \omega_X$$



$$I = (U - V)^+ + \omega$$
  $J = (V - U)^+ + \omega$ 




$$I = (U - V)^{+} + \omega \qquad J = (V - U)^{+} + \omega$$

#### Proposition

$$\begin{array}{ll} U \sim \textit{Exp}(1-\varrho), \\ V \sim \textit{Exp}(\varrho), \\ \omega \sim \textit{Exp}(1), \end{array} \right\} \textit{ indep. } \begin{array}{ll} I \sim \textit{Exp}(1-\varrho), \\ J \sim \textit{Exp}(\varrho), \\ Z := U \wedge V \sim \textit{Exp}(1), \end{array} \right\} \textit{ indep. } \end{array}$$

$$I = (U - V)^+ + \omega$$
  $J = (V - U)^+ + \omega$   $Z := U \wedge V$ 

$$egin{aligned} & U \sim \mathsf{Exp}(1-arrho), \ & V \sim \mathsf{Exp}(arrho), \ & \omega \sim \mathsf{Exp}(1), \end{aligned} egin{aligned} & I \sim \mathsf{Exp}(1-arrho), \ & J \sim \mathsf{Exp}(arrho), \ & Z \sim \mathsf{Exp}(1), \end{aligned} egin{aligned} & \text{indep.} \ & Z \sim \mathsf{Exp}(1), \end{aligned}$$



U - V and Z are independent.

$$\begin{split} I &= (U - V)^{+} + \omega \qquad J = (V - U)^{+} + \omega \qquad Z := U \wedge V \\ U &\sim \mathsf{Exp}(1 - \varrho), \\ V &\sim \mathsf{Exp}(\varrho), \\ \omega &\sim \mathsf{Exp}(1), \end{split} \ \ \, \begin{array}{l} \mathsf{I} \sim \mathsf{Exp}(1 - \varrho), \\ \mathsf{J} \sim \mathsf{Exp}(\varrho), \\ Z &\sim \mathsf{Exp}(1), \end{array} \right\} \text{ indep. } \end{split}$$

U - V and Z are independent.

$$I = (U - V)^{+} + \omega \qquad J = (V - U)^{+} + \omega \qquad Z := U \wedge V$$

$$U \sim \operatorname{Exp}(1 - \varrho), \qquad I \sim \operatorname{Exp}(1 - \varrho), \qquad I \sim \operatorname{Exp}(2), \qquad U \sim \operatorname{Exp}(2), \qquad Z \sim \operatorname{Exp}(2), \qquad Z \sim \operatorname{Exp}(1), \qquad Z \sim \operatorname{E$$

U - V and Z are independent.

$$(\omega, (U-V), Z) \stackrel{\mathsf{d}}{=} (Z, (U-V), \omega)$$

$$I = (U - V)^{+} + \omega \qquad J = (V - U)^{+} + \omega \qquad Z := U \wedge V$$

$$U \sim \text{Exp}(1 - \varrho),$$

$$V \sim \text{Exp}(\varrho),$$

$$\omega \sim \text{Exp}(1),$$

$$U - V \text{ and } Z \text{ are independent.}$$

$$(\omega, (U-V), Z) \stackrel{\mathsf{d}}{=} (Z, (U-V), \omega)$$

Hence

$$((U - V)^+ + \omega, (V - U)^+ + \omega, Z)$$
  
$$\stackrel{d}{=} ((U - V)^+ + Z, (V - U)^+ + Z, \omega)$$

$$I = (U - V)^{+} + \omega \qquad J = (V - U)^{+} + \omega \qquad Z := U \wedge V$$

$$U \sim \operatorname{Exp}(1 - \varrho),$$

$$V \sim \operatorname{Exp}(\varrho),$$

$$\omega \sim \operatorname{Exp}(1),$$

$$I \sim \operatorname{Exp}(\varrho),$$

$$Z \sim \operatorname{Exp}(1),$$

$$I \sim \operatorname{Exp}(1 - \varrho),$$
indep.
$$Z \sim \operatorname{Exp}(1),$$

$$I \sim \operatorname{Exp}(1 - \varrho),$$
indep.
$$Z \sim \operatorname{Exp}(1),$$

$$Z \sim \operatorname{Exp}(1),$$

U - V and Z are independent.

$$(\omega, (U-V), Z) \stackrel{\mathsf{d}}{=} (Z, (U-V), \omega)$$

Hence

$$(I, J, Z) = ((U - V)^{+} + \omega, (V - U)^{+} + \omega, Z)$$
$$\stackrel{\text{d}}{=} ((U - V)^{+} + Z, (V - U)^{+} + Z, \omega)$$

$$I = (U - V)^{+} + \omega \qquad J = (V - U)^{+} + \omega \qquad Z := U \wedge V$$

$$U \sim \operatorname{Exp}(1 - \varrho),$$

$$V \sim \operatorname{Exp}(\varrho),$$

$$\omega \sim \operatorname{Exp}(1),$$

$$I \sim \operatorname{Exp}(2),$$

$$J \sim \operatorname{Exp}(\varrho),$$

$$Z \sim \operatorname{Exp}(1),$$
indep.
$$Z \sim \operatorname{Exp}(1),$$
indep.
$$Z \sim \operatorname{Exp}(1),$$


U - V and Z are independent.

$$(\omega, (U-V), Z) \stackrel{\mathsf{d}}{=} (Z, (U-V), \omega)$$

Hence


$$(I, J, Z) = ((U - V)^{+} + \omega, (V - U)^{+} + \omega, Z)$$
  
$$\stackrel{d}{=} ((U - V)^{+} + Z, (V - U)^{+} + Z, \omega) = (U, V, \omega).$$

Replace the boundary by  $I \sim Exp(\varrho)$ ,  $\_ \sim Exp(1 - \varrho)$  independent.




Then  $J_x \sim \text{Exp}(\varrho)$ ,  $I_x \sim \text{Exp}(1 - \varrho)$ , independent. The embedded model has the same structure.

Replace the boundary by  $I \sim Exp(\varrho)$ ,  $\_ \sim Exp(1 - \varrho)$  independent.




$$I_x = G_{a,x} - G_{a,x-e_1}$$
  $J_x = G_{a,x} - G_{a,x-e_2}$ 

Replace the boundary by  $I \sim Exp(\varrho)$ ,  $\_ \sim Exp(1 - \varrho)$  independent.




 $I_x = G_{a,x} - G_{a,x-e_1} \qquad J_x = G_{a,x} - G_{a,x-e_2}$ 

Replace the boundary by  $I \sim Exp(\varrho)$ ,  $\_ \sim Exp(1 - \varrho)$  independent.




$$I_x = G_{a,x} - G_{a,x-e_1}$$
  $J_x = G_{a,x} - G_{a,x-e_2}$ 

Replace the boundary by  $I \sim Exp(\varrho)$ ,  $\_ \sim Exp(1 - \varrho)$  independent.




$$I_x = G_{a,x} - G_{a,x-e_1}$$
  $J_x = G_{a,x} - G_{a,x-e_2}$ 

Replace the boundary by  $I \sim Exp(\varrho)$ ,  $\_ \sim Exp(1 - \varrho)$  independent.




$$I_x = G_{a,x} - G_{a,x-e_1}$$
  $J_x = G_{a,x} - G_{a,x-e_2}$ 

Replace the boundary by  $I \sim Exp(\varrho)$ ,  $\_ \sim Exp(1 - \varrho)$  independent.




$$I_x = G_{a,x} - G_{a,x-e_1}$$
  $J_x = G_{a,x} - G_{a,x-e_2}$ 

Replace the boundary by  $I \sim Exp(\varrho)$ ,  $\_ \sim Exp(1 - \varrho)$  independent.




Then  $J_x \sim \text{Exp}(\varrho)$ ,  $I_x \sim \text{Exp}(1 - \varrho)$ , independent. The embedded model has the same structure.

Replace the boundary by  $I \sim Exp(\varrho)$ ,  $\_ \sim Exp(1 - \varrho)$  independent.




B., Cator, Seppäläinen '06:  $\mathbb{P}\{|Z_{a,y}^{\varrho}| \ge \ell\} \le box^2/\ell^3$ , good directional control.


#### Infinite geodesics




#### Infinite geodesics




#### Infinite geodesics




#### Infinite geodesics




# Result 1)



# Result 1)




## Result 1)




With probability at least  $1 - Cc^{\frac{3}{8}}$ , stationary and point-to-point paths already coalesce in the small box. (Busani, Ferrari '20)


## Result 2)



# Result 2)



## Result 2)



#### What is an i.i.d. $Exp(\lambda)$ boundary?



What is also an i.i.d.  $Exp(\lambda)$  boundary?




What is also an i.i.d.  $Exp(\lambda)$  boundary?





#### 


What is also an i.i.d.  $Exp(\lambda)$  boundary?





What is also an i.i.d.  $Exp(\lambda)$  boundary?




























These two boundaries are **jointly** stationary; (Ferrari, Martin '06; Fan, Seppäläinen '20)








































































#### Result 1): P-2-P is like stati path




#### Result 1): P-2-P is like stati path












This can be boosted by pulling the small box left by  $\alpha N$ .



This can be boosted by pulling the small box left by  $\alpha N$ . Rescale these boundaries: *Stationary Horizon* (Busani'21, +Seppäläinen, Sorensen'22).



Coalescing too soon would mean stationary paths getting squeezed to each other too soon so they bend.



Coalescing too soon would mean stationary paths getting squeezed to each other too soon so they bend.

Thank you.